



# Computer Systems and Networks

ECPE 170 – University of the Pacific

# Crash Dive into Python

# Lab Schedule

## Activities

### Today

- ↗ Network Programming
- ↗ Python

### Next Week

- ↗ **Lab 12 – Network Programming**

## Assignments Due

### Lab 11

- ↗ **Due by Dec 1<sup>st</sup> 5:00am**

### Lab 12

- ↗ **Due by Dec 8<sup>th</sup> 5:00am**

### Final Exam

- ↗ **Tue Dec 9<sup>th</sup> 8-10am**

# Person of the Day: Guido van Rossum



- ↗ Author of the Python programming language
- ↗ Self-appointed “Benevolent Dictator For Life”
- ↗ Chose the name because he was “in a slightly irreverent mood (and a big fan of *Monty Python's Flying Circus*)”
- ↗ Has worked in numerous organizations , including NIST, Google and Dropbox

# Python



# What is Python?

- ↗ Interpreted language for scripting and many other uses
- ↗ Features:
  - ↗ Objects
  - ↗ Dynamic types
  - ↗ A rich set of libraries
  - ↗ Extensibility through C (for speed critical code)
- ↗ It is most notorious for its indentation rules, using whitespace or tabs (and it is *very picky*)

# Python Datatypes

- ↗ Python supports many datatypes from C or C++:
  - ↗ Integers, floats, strings, booleans
- ↗ Recent Python versions support other useful types:
  - ↗ Complex numbers
  - ↗ Sequences (tuples, lists)
  - ↗ Dictionaries
  - ↗ Sets
  - ↗ Bytes and bytearrays

# Runtime evaluation

- ↗ Python is interpreted and has dynamic typing
- ↗ Implications:
  - ↗ Syntax is checked when code is first encountered
  - ↗ Variable types (or even their existence) aren't checked until the code is executed
- ↗ Result: Code can execute correctly for a while until either an undefined variable is encountered, or it is used incorrectly (i.e., trying to access an integer as a sequence)

# Python Tuples

- A *tuple* is an immutable collection of objects
- Tuples are denoted by parenthesis

```
t = (1,2,3)
```

- The objects in a tuple do not need to be of the same type

# Python Lists

- A *list* is an mutable collection of objects
- Lists are denoted by square brackets

```
l = [1.5, 'a', (3,True)]
```

# Python Sequences

- Tuples and lists are both types of *sequences*: individual items can be accessed in various ways
- To access a particular item in a sequence:

```
t = (1, 2, 3)
l = [1.5, 'a', (3, True)]
print(t[0], l[1])
```

Output:

```
1 a
```

# Python Sequences

- Sequences can also be accessed from the end (instead of beginning) using *negative* indices

```
t = (1, 2, 3)
l = [1.5, 'a', (3, True)]
print(t[-2], l[-1])
```

Output:

```
2 (3, True)
```

# Python Sequences

- Slices (subsets of sequences) are accessed by using a ":"
- Note that the second index (if supplied) is one greater than actual last object in the slice

```
t = (1, 2, 3)
l = [1.5, 'a', (3, True)]
print(t[0:2])
print(l[1:])
```

Output:

```
(1, 2)
('a', (3, True))
```

# Python Dictionaries

- A *dictionary* is an associative array of keys and value pairs

```
d={'a':1, 'b':2, 3:'c'}  
print(d)  
print(d.keys())  
print(d.values())  
print(d['a'])  
print(d['c'])
```

Output:

```
{'a': 1, 3: 'c', 'b': 2}  
dict_keys(['a', 3, 'b'])  
dict_values([1, 'c', 2])  
1  
KeyError: 'c'
```

# Python Error Handling

- Python handles errors using the try and except statements

```
try:  
    d['c']  
except:  
    print("Key 'c' is not present")
```

Output:

```
Key 'c' is not present
```

# Python Blocks

- ↗ Python uses whitespace and ":" to denote blocks
  - ↗ **Note: tabs and spaces are not interchangeable!**
- ↗ Within a block, all lines are indented exactly the same amount

```
print(1)
    print(1)
```

Output:

```
[1.5, 'a', (3, True)]
```

```
IndentationError: unexpected indent
```

\*slides.py - /home/jshafer/ecpe170\_dev\_2014\_spring/lab12\_network\_python - Geany

16

Variables

- d [25]
- l [9]
- t [4]

```
1 #!/usr/bin/python3
2
3 # Tuple (immutable collection)
4 t = (1,2,3)
5 print(type(t))
6 print(t)
7
8 # List (mutable collection)
9 l = [1.5, 'a', (3,True)]
10 print(type(l))
11 print(l)
12
13 # Access a particular item in a sequence (tuple, list, ...)
14 print("Sequence access")
15 print(t[0],l[1])
16 print(t[-2],l[-1])
17
18 # Access a slice of a sequence
19 print("Slices")
20 print(t[0:2]) # Slice
21 print(l[1:]) # Slice starting from element 1
22
23 # Dictionary (associative array of key/value pairs)
```

16:26:54: This is Geany 0.21.

Status 16:26:54: File /home/jshafer/ecpe170\_dev\_2014\_spring/lab12\_network\_python/slides.py opened(1).

Compiler

line: 49 / 49 col: 3 sel: 0 INS TAB MOD mode: Unix (LF) encoding: UTF-8 filetype: Python scope...

To install: sudo apt-get install geany

# Python Statements and Flow Control

- ↗ Python supports these statements:
  - ↗ if
  - ↗ elif
  - ↗ else
  - ↗ for
  - ↗ while

```
if 1 > 2:  
    print(a)  
elif 3 > 2:  
    print(t)  
else:  
    print("Neither")
```

Output:

```
(1, 2, 3)
```

# Python Statements and Flow Control

- The `for` statement takes a sequence as its input
- This works for any sequence type
  - Tuples, lists, strings, etc...

```
for x in (1,3,5,'a'):  
    print(x)
```

Output:

```
1  
3  
5  
a
```

# Python Statements and Flow Control

- For the equivalent of a C `for` loop, use the `range` class

```
for i in range(0,9,3):  
    print(i)
```

Output:

```
0  
3  
6
```

This is equivalent to:

```
for (int i=0; i < 9; i += 3)
```

# Using Python Libraries

- Libraries (modules) are accessed using the import statement

```
import math  
print(math.sin(2))
```

Output:

```
0.9092974268256817
```

# The struct Module



# The struct Module

- Since the details of variables are hidden in Python (for example, how many bytes is an integer?), there are no built-in ways to store values into files along with their encoding
  - A typical Python file would contain just ASCII or Unicode values
- The struct module deals with binary data
- In reality, it performs conversions between basic Python datatypes and binary strings

# The struct Module

- Two main functions in the `struct` module
  - `pack`: convert a group of variables into a string
  - `unpack`: convert a string into a group of variables
- Similar to C's `printf` and `scanf`
- Each function requires a *format string* to describe how to pack or unpack the arguments
  - See <https://docs.python.org/3/library/struct.html>

# The struct Module

- Endianness must be considered when doing file or network I/O with fields greater than one byte
- The first character of the format string determines the endianness

Character	Byte order	Size	Alignment
@	Native	Native	Native
=	Native	Standard	None
<	Little	Standard	None
>	Big	Standard	None
!	Network (Big)	standard	None